

CATALOGUE





QUALITY REDEFINED

Important Information

All measurements & sizes presented in this publication are approximate. It is Arroll's policy to allow a 4% +/- tolerance on all measurements & sizes.

It is not recommended that pipe centres are set prior to the arrival and inspection of the radiator.

Measurements, sizes and data can change at anytime without notice. Please refer to arroll.co.uk for current and up-to-date technical information.

Arroll cast iron radiators have an elegance and easy glamour that will complement all kinds of interior styles. Few household appliances combine such classic beauty with extreme functionality. At Arroll, you'll find exquisite designs made with craft and precision.

It's not all about aesthetics. Cast iron is one of the most efficient materials in conducting and retaining heat evenly and is an easy way to reduce home heating costs.

All our radiators come in a primed finish but can be painted to any Ral colour or semi polished to give them a contemporary or playful twist. They are crafted to the same high standards and meticulous attention to details that was used in the original 19th century artisan foundries. We manage every stage of the manufacturing process to ensure all our radiators are made to those same quality standards.

Almost all our cast iron radiators are reproduced from original sections and we remain true to the skill of the master craftsmen that passed their knowledge and expertise from one generation to the next.

These are traditions that Arroll strives to keep alive. In today's world where so many products are cheaply made, Arroll cast iron radiators represent a move back to beautiful and functional furniture that are made to last for your grandchildren to enjoy.




RA-760 THE ART NOUVEAU 760

Styled in The Art Nouveau period of 1890–1910, this slender radiator has an intricate scrolling pattern that adds a touch of grandeur to a classic radiator design.

One of the slimmest radiators in our collection, it is perfect for smaller spaces.





THE ART NOUVEAU 760

RADIATOR DIMENSIONS			
Leg section height:	754 mm		
Middle section height:	682 mm		
Section length	72 mm		
Radiator depth:	145 mm		
INLET & EXIT			
Bottom inlet to floor:	110 mm		
Top inlet to floor:	710 mm		
Pipe centres to skirting boa	ard: 72.5 mm		
HEAT OUTPUT PER SECTION			
Delta ∆T 50°C 113 Watts / 385 BTUs			
Delta ∆T 60°C: 144 Watts / 489 BTUs			
RADIATOR WEIGHT			
Empty weight per leg section: 7.5 KG			
Empty weight per middle section: 6.7			
Filled weight per leg section: 9.3 k			
Filled weight per middle section: 8.5 K			
INTERNAL VOLUME			
Leg section	1.8 L		
Middle section	1.8 L		




PRD-800 THE CHERUB 800

The antique style of this beautiful cast iron radiator originated in the romanesque and bohemian architecture of Central Europe. It was developed and manufactured in the USA by the American Radiator Company in 1842.

The lavish floral motif feels right at home in a period or traditional home, though the intricate style creates a striking visual impact in an industrial or contemporary interior.





THE CHERUB 800

RADIATOR DIMENSIONS			
Leg section height:	798 mm		
Middle section height:	746 mm		
Section length	63 mm		
Radiator depth:	205 mm		
INLET & EXIT			
Bottom inlet to floor:	110 mm		
Top inlet to floor:	750 mm		
Pipe centres to skirting boar	rd: 102.5 mm		
HEAT OUTPUT PER SECTION			
Delta ΔT 50°C 112 Watts / 382 BTUs			
Delta ∆T 60°C: 141 Watts / 482 BTUs			
RADIATOR WEIGHT			
Empty weight per leg sectio	on: 13.5 KG		
Empty weight per middle se	ection: 11.7 KG		
Filled weight per leg section	15.9 KG		
Filled weight per middle section: 14.1 K			
INTERNAL VOLUME			
Leg section	2.4 L		
Middle section	2.4 L		




FR-760 THE SUNFLOWER 760

Though the Sunflower cast iron radiator was first produced in France during the late 1800's, its florid pattern of Spring flowers and flowing curves embodies the Victorians' passion for ornamentation.

It's sister model the Daisy , complements the range perfectly with additional heights to provide greater flexibility.





THE SUNFLOWER 760

RADIATOR DIMENSIONS			
Leg section height:	759 mm		
Middle section height:	687 mm		
Section length	72 mm		
Radiator depth:	177 mm		
INLET & EXIT			
Bottom inlet to floor:	120 mm		
Top inlet to floor:	720 mm		
Pipe centres to skirting boa	rd: 88.5 mm		
HEAT OUTPUT PER SECTION			
Delta ΔT 50°C 104 Watts / 357 BTUs			
Delta ∆T 60°C: 132 Watts / 450 BTUs			
RADIATOR WEIGHT			
Empty weight per leg section	on: 10.8 KG		
Empty weight per middle se	ection: 9.8 KG		
Filled weight per leg section	n: 13.5 KG		
Filled weight per middle section: 12.5 k			
INTERNAL VOLUME			
Leg section	2.7 L		




PRC-600 THE DAISY 600 **PRC-795** THE DAISY 795

Available in two heights, the Daisy cast iron radiator has a highly decorative design and the perfect choice for an elegant, ornate look.

Though the Daisy cast iron radiator was first produced in France during the late 1800's, its florid pattern of Spring flowers and flowing curves embodies the Victorians' passion for ornamentation.





T10mm

THE DAISY 600

RADIATOR DIMENSIONS	
Leg section height:	597 mm
Middle section height:	539 mm
Section length	65 mm
Radiator depth:	175 mm
INLET & EXIT	
Bottom inlet to floor:	110 mm
Top inlet to floor:	510 mm
Bis a sector of a distinguish south	87.5 mm
Pipe centres to skirting board:	07.0 1111

Delta ∆T 50°C	76 Watts / 259 BTUs
Delta ∆T 60°C:	95 Watts / 327 BTUs

RADIATOR WEIGHT

Empty weight per leg section:	8.3 KG
Empty weight per middle section:	7.4 KG
Filled weight per leg section:	10.3 KG
Filled weight per middle section:	9.4 KG

INTERNAL VOLUME

Leg section	2.0 L
Middle section	2.0 L

*All measurements and sizes are approximate.

THE DAISY 795

RADIATOR DIMENSIONS	
Leg section height:	794 mm
Middle section height:	736 mm
Section length	65 mm
Radiator depth:	175 mm
INLET & EXIT	
Bottom inlet to floor:	110 mm
Top inlet to floor:	710 mm
Pipe centres to skirting board:	87.5 mm

HEAT OUTPUT PER SECTION	
Delta ∆T 50°C	104 Watts / 355 BTUs
Delta ∆T 60°C:	130 Watts / 448 BTUs

RADIATOR WEIGHT	
Empty weight per leg section:	10.4 KG
Empty weight per middle section:	9.9 KG
Filled weight per leg section:	12.8 KG
Filled weight per middle section:	12.3 KG

Leg section	2.4 L	
Middle section	2.4 L	
*All measurements and sizes are approximate.		




RA-480 THE MONTMARTE 480 **RA-760** THE MONTMARTE 760

The charming and intricate design of the Montmartre cast iron radiator is evident in the French rococo scrolling in each section.

The Montmartre is one of the most popular on our collection, available in two sizes and it complements the Parisian and Rococo Models





THE MONTMARTE 480

RADIATOR DIMENSIONS	
Leg section height:	474 mm
Middle section height:	420 mm
Section length	81 mm
Radiator depth:	256 mm
INLET & EXIT	
Bottom inlet to floor:	115 mm
Top inlet to floor:	415 mm
Pipe centres to skirting board:	128 mm

HEAT O	DUTPUT PER	SECTION
--------	------------	---------

Delta ∆T 50°C	90 Watts / 307 BTUs
Delta ∆T 60°C:	113 Watts / 388 BTUs


RADIATOR	WEIGHT
NADIAI O N	

Empty weight per leg section:	8.7 KG
Empty weight per middle section:	7.8 KG
Filled weight per leg section:	10.7 KG
Filled weight per middle section:	9.8 KG

INTERNAL VOLUME

Leg section	2.0 L
Middle section	2.0 L

*All measurements and sizes are approximate.



THE MONTMARTE 760

RADIATOR DIMENSIONS	
Leg section height:	760 mm
Middle section height:	705 mm
Section length	81 mm
Radiator depth:	247 mm
INLET & EXIT	
Bottom inlet to floor:	110 mm
Top inlet to floor:	710 mm
Pipe centres to skirting board:	123.5 mm

HEAT OUTPUT PER SECTI	ION
Delta ∆T 50°C	114 Watts / 491 BTUs
Delta ∆T 60°C:	181 Watts / 620 BTUs
RADIATOR WEIGHT	

Empty weight per leg section:	14.1 KG
Empty weight per middle section:	12.1 KG
Filled weight per leg section:	16.3 KG
Filled weight per middle section:	14.3 KG

Leg section	2.2 L	
Middle section	2.2 L	
*All measurements and sizes are approximate.		




RD-450 THE NEO-CLASSIC 3 COLUMN 450 RD-650 THE NEO-CLASSIC 3 COLUMN 650 RD-750 THE NEO-CLASSIC 3 COLUMN 750

The Neo Classic 3 Column cast iron radiator possesses a narrow design, perfect for areas in which space is crucial. The design first emerged in 1890 and represents a revival of an earlier classical style.

The Neo Classic 3 Column is similar in design to our Victorian Range but differs with a pointed foot rather than a flat foot detail.

Simple, yet stylish the ordered symmetrical design makes it highly efficient in terms of heat output and convection. The simplistic design suits both traditional and modern homes.



THE NEO-CLASSIC 3 COLUMN 450

RADIATOR DIMENSIONS		
Leg section height:	450 mm	
Middle section height:	386 mm	
Section length	60 mm	
Radiator depth:	120 mm	
INLET & EXIT		
Bottom inlet to floor:	105 mm	
Top inlet to floor:	405 mm	
Pipe centres to skirting board:	60 mm	
HEAT OUTPUT PER SECTION		

Delta ∆T 50°C	48 Watts / 164 BTUs
Delta ∆T 60°C:	60 Watts / 207 BTUs

RADIATOR WEIGHT	
Empty woight par log	coctic


_ . _ . . _ _ _

Empty weight per leg section:	3.5 KG
Empty weight per middle section:	3.1 KG
Filled weight per leg section:	4.0 KG
Filled weight per middle section:	3.6 KG

INTERNAL VOLUME

Leg section	0.5 L
Middle section	0.5 L

*All measurements and sizes are approximate.



THE NEO-CLASSIC 3 COLUMN 650

RADIATOR DIMENSIONS	
Leg section height:	645 mm
Middle section height:	575 mm
Section length	60 mm
Radiator depth:	120 mm
INLET & EXIT	
Bottom inlet to floor:	110 mm
Top inlet to floor:	610 mm
Pipe centres to skirting board:	60 mm
HEAT OUTPUT PER SECTION	
Delta ∆T 50°C	73 Watts / 249 BTUs
Delta ∆T 60°C:	92 Watts / 314 BTUs

RADIATOR WEIGHT


Empty weight per leg section:	4.7 KG
Empty weight per middle section:	4.4 KG
Filled weight per leg section:	5.6 KG
Filled weight per middle section:	5.3 KG

INTERNAL VOLUME

Leg section	0.9 L
Middle section	0.9 L
*All measurements and sizes are approximate	







THE NEO-CLASSIC 3 COLUMN 750

RADIATOR DIMENSIONS	
Leg section height:	745 mm
Middle section height:	675 mm
Section length	60 mm
Radiator depth:	120 mm
INLET & EXIT	
Bottom inlet to floor:	110 mm
Top inlet to floor:	710 mm
Pipe centres to skirting board:	60 mm
HEAT OUTPUT PER SECTION	
Delta ∆T 50°C	92 Watts / 313 BTUs

HEAT OUTPUT PER SECTION	١
Delta ∆T 50°C	92 Watts / 313 BTUs
Delta ∆T 60°C:	118 Watts / 402 BTUs

RADIATOR WEIGHT

Empty weight per leg section:	5.6 KG
Empty weight per middle section:	5.0 KG
Filled weight per leg section:	6.7 KG
Filled weight per middle section:	6.1 KG

INTERNAL VOLUME

Leg section	1.1 L
Middle section	1.1 L




RD-460 THE NEO-CLASSIC 4 COLUMN 460 RD-660 THE NEO-CLASSIC 4 COLUMN 660 RD-760 THE NEO-CLASSIC 4 COLUMN 760 RD-810 THE NEO-CLASSIC 4 COLUMN 810

The Neo Classic 4 Column, is perhaps the most recognisable of all cast iron radiators, based on a Victorian design which was introduced in 1890.

The Neo Classic 4 Column, like the 3 Column is similar in design to the Victorian however it has pointed foot rather than a flat foot.

The simple design makes it ideal for both modern and traditional settings. Our experienced painters can finish your radiator in a colour perfect for your home.



THE NEO-CLASSIC 4 COLUMN 460

RADIATOR DIMENSIONS	
Leg section height:	455 mm
Middle section height:	380 mm
Section length	60 mm
Radiator depth:	140 mm
INLET & EXIT	
Bottom inlet to floor:	110 mm
Top inlet to floor:	410 mm
Pipe centres to skirting board:	70 mm
HEAT OUTPUT PER SECTION	


Delta ∆T 50°C	57 Watts / 196 BTUs
Delta ∆T 60°C:	62 Watts / 213 BTUs

RADIATOR WEIGHT	
Empty weight per leg section:	3.4 KG
Empty weight per middle section:	3.0 KG
Filled weight per leg section:	3.9 KG
Filled weight per middle section:	3.5 KG

INTERNAL VOLUME

Leg section	0.5 L
Middle section	0.5 L

*All measurements and sizes are approximate



THE NEO-CLASSIC 4 COLUMN 660


RADIATOR DIMENSIONS	
Leg section height:	650 mm
Middle section height:	580 mm
Section length	60 mm
Radiator depth:	140 mm
INLET & EXIT	
Bottom inlet to floor:	110 mm
Top inlet to floor:	610 mm
Pipe centres to skirting board:	: 70 mm
HEAT OUTPUT PER SECTION	I
Delta ∆T 50°C	78 Watts / 266 BTUs
Delta ∆T 60°C:	98 Watts / 336 BTUs


RADIATOR WEIGHT

Empty weight per leg section:	4.8 KG
Empty weight per middle section:	4.4 KG
Filled weight per leg section:	5.5 KG
Filled weight per middle section:	5.1 KG

INTERNAL VOLUME	
Leg section	0.7 L
Middle section	0.7 L
*All measurements and sizes are approximate	







THE NEO-CLASSIC 4 COLUMN 760

RADIATOR DIMENSIONS		
Leg section height:	756 mm	
Middle section height:	680 mm	
Section length	60 mm	
Radiator depth:	140 mm	
INLET & EXIT		
Bottom inlet to floor:	114 mm	
Top inlet to floor:	714 mm	
Pipe centres to skirting board:	70 mm	
HEAT OUTPUT PER SECTION		


HEAT OUTPUT PER SECTION	N
Delta ∆T 50°C	92 Watts / 313 BTUs
Delta ∆T 60°C:	115 Watts / 395 BTUs

RADIATOR WEIGHT

Empty weight per leg section:	5.7 KG
Empty weight per middle section:	5.4 KG
Filled weight per leg section:	6.5 KG
Filled weight per middle section:	6.2 KG

INTERNAL VOLUME

Leg section	0.8 L
Middle section	0.8 L
*All measurements and sizes are approximate.	



THE NEO-CLASSIC 4 COLUMN 810

RADIATOR DIMENSIONS			
Leg section height:	813 mm		
Middle section height:	725 mm		
Section length	60 mm		
Radiator depth:	160 mm		
INLET & EXIT			
Bottom inlet to floor:	126 mm		
Top inlet to floor:	770 mm		
Pipe centres to skirting boar	d: 80 mm		
HEAT OUTPUT PER SECTIO	N		
Delta ∆T 50°C	103 Watts / 351 BTUs		
Delta ∆T 60°C:	129 Watts / 443 BTUs		
RADIATOR WEIGHT			
Empty weight per leg sectio	n: 6.5 KG		
Empty weight per middle se	ction: 5.8 KG		
Filled weight per leg section	: 7.6 KG		

INTERNAL VOLUME

Filled weight per middle section:

INTERNAL VOLUME	
Leg section	1.1 L
Middle section	1.1 L

6.9 KG




PRE-510 THE PARISIAN 510 PRE-660 THE PARISIAN 660 PRE-760 THE PARISIAN 760

The Parisian Cast Iron radiator, similar in design to the Rococo , provides an unmistakable glamour with an eye-catching decorative scroll.

Our mould making artisans have painstakingly reproduced this 19th century French radiator using traditional sand-casting techniques used by craftsmen of that period.

The Parisian perfectly complements the Rococo 1 Column and the Rococo 3 Column cast iron radiators.



THE PARISIAN 510

RADIATOR DIMENSIONS			
Leg section height:	510 mm		
Middle section height:	446 mm		
Section length	80 mm		
Radiator depth:	210 mm		
INLET & EXIT			
INLET & EXIT Bottom inlet to floor:	115 mm		
	115 mm 465 mm		
Bottom inlet to floor:			

HEAT OUTPUT PER SECTION	•
Delta ∆T 50°C	78 Watts / 266 BTUs
Delta ∆T 60°C:	98 Watts / 336 BTUs


RADIATOR WEIGHT	
Empty weight per leg section:	8.3 KG
Empty weight per middle section:	6.3 KG
Filled weight per leg section:	10.1 KG
Filled weight per middle section:	8.1 KG

INTERNAL VOLUME

Leg section	1.8 L
Middle section	1.8 L

*All measurements and sizes are approximate.

HEAT OUTDUT DED SECTION



THE PARISIAN 660

RADIATOR DIMENSIONS	
Leg section height:	657 mm
Middle section height:	595 mm
Section length	76 mm
Radiator depth:	205 mm
INLET & EXIT	
Bottom inlet to floor:	115 mm
Top inlet to floor:	615 mm
Pipe centres to skirting board	d: 102.5 mm
HEAT OUTPUT PER SECTIO	N
Delta ∆T 50°C	100 Watts / 341 BTUs
Delta ∆T 60°C:	126 Watts / 431 BTUs
RADIATOR WEIGHT	


RADIATOR WEIGHT	
Empty weight per leg section:	9.5 KG
Empty weight per middle section:	8.5 KG
Filled weight per leg section:	11.8 KG
Filled weight per middle section:	10.8 KG

INTERNAL VOLUME

Leg section	2.3 L
Middle section	2.3 L
*All measurements and sizes are approximate	







THE PARISIAN 760

RADIATOR DIMENSIONS	
Leg section height:	762 mm
Middle section height:	703 mm
Section length	80 mm
Radiator depth:	210 mm
INLET & EXIT	
Bottom inlet to floor:	115 mm
Top inlet to floor:	715 mm
Pipe centres to skirting board	d: 105 mm
HEAT OUTPUT PER SECTIO	N

HEAT OUTFOIL FER SECTIO	1
Delta ∆T 50°C	115 Watts / 392 BTUs
Delta ∆T 60°C:	145 Watts / 495 BTUs

RADIATOR WEIGHT

Empty weight per leg section:	11.7 KG
Empty weight per middle section:	11.2 KG
Filled weight per leg section:	14.6 KG
Filled weight per middle section:	14.1 KG

INTERNAL VOLUME

Leg section	2.9 L
Middle section	2.9 L




RP-550 THE PRINCESS 550 **RP-750** THE PRINCESS 750 **RP-810** THE PRINCESS 810

Our Princess cast iron radiator is based on a design classic that was first introduced in 1898 by the Ideal Radiator Company. Well suited to modern and traditional spaces, its rounded contours and smooth casting make it an easy choice for any kind of space.

The Princess perfectly complements the Prince, Duchess and Peerless with their simple but eye-catching design.





THE PRINCESS 550

RADIATOR DIMENSIONS	
Leg section height:	549 mm
Middle section height:	500 mm
Section length	76 mm
Radiator depth:	210 mm
INLET & EXIT	
Bottom inlet to floor:	105 mm
Top inlet to floor:	505 mm
Pipe centres to skirting board:	105 mm

HEAT OUTPUT PER SECTIO	N
Delta AT 50°C	85 W

Delta ∆T 50°C	85 Watts / 290 BTUs
Delta ∆T 60°C:	107 Watts / 366 BTUs


RADIATOR	WEIGHT

Empty weight per leg section:	7.6 KG
Empty weight per middle section:	5.5 KG
Filled weight per leg section:	9.6 KG
Filled weight per middle section:	7.5 KG

INTERNAL VOLUME

Leg section	2.0 L
Middle section	2.0 L

*All measurements and sizes are approximate.




THE PRINCESS 750

RADIATOR DIMENSIONS	
Leg section height:	748 mm
Middle section height:	694 mm
Section length	76 mm
Radiator depth:	210 mm
INLET & EXIT	
Bottom inlet to floor:	105 mm
Top inlet to floor:	705 mm
Pipe centres to skirting board	: 105 mm
HEAT OUTPUT PER SECTION	1
Delta ∆T 50°C	111 Watts / 378 BTUs
Delta ∆T 60°C:	139 Watts / 477 BTUs

RADIATOR WEIGHT	
Empty weight per leg section:	10.2 KG
Empty weight per middle section:	9.0 KG
Filled weight per leg section:	12.6 KG
Filled weight per middle section:	11.4 KG

INTERNAL VOLUME

Leg section	2.4 L
Middle section	2.4 L
*All measurements and sizes are approximate	



THE PRINCESS 810

RADIATOR DIMENSIONS	
Leg section height:	810 mm
Middle section height:	730 mm
Section length	78 mm
Radiator depth:	186 mm
INLET & EXIT	
Bottom inlet to floor:	120 mm
Top inlet to floor:	760 mm
Pipe centres to skirting board:	93 mm
HEAT OUTPUT PER SECTION	

HEAT OUTPUT PER SECTION	N N
Delta ∆T 50°C	121 Watts / 413 BTUs
Delta ∆T 60°C:	152 Watts / 522 BTUs

RADIATOR WEIGHT

Empty weight per leg section:	10.0 KG
Empty weight per middle section:	9.6 KG
Filled weight per leg section:	12.6 KG
Filled weight per middle section:	12.2 KG

INTERNAL VOLUME

Leg section	2.6 L
Middle section	2.6 L



RQ-560 THE PRINCE 560 **RQ-800** THE PRINCE 800


The Prince Cast Iron radiator is inspired by the traditional school radiator and is a perfect blend of simplicity and functionality. Its sleek curves and minimalist style lend a homely no-nonsense feel to industrial, contemporary and loft style spaces.

The Prince perfectly complements the Princess, Duchess and Peerless with their simple but eye-catching design.



79mm





uuugez

THE PRINCE 560

RADIATOR DIMENSIONS		
Leg section height:		560 mm
Middle section height:		495 mm
Section length		76 mm
Radiator depth:		188 mm
INLET & EXIT		
Bottom inlet to floor:		110 mm
Top inlet to floor:		510 mm
Pipe centres to skirting board:		94 mm
HEAT OUTPUT PER SECTION		
	01.147.11	

Delta ∆T 50°C	81 Watts / 276 BTUs
Delta ∆T 60°C:	103 Watts / 351 BTUs

RADIATOR WEIGHT

Empty weight per leg section:	9.2 KG
Empty weight per middle section:	8.2 KG
Filled weight per leg section:	11.3 KG
Filled weight per middle section:	10.3 KG

INTERNAL VOLUME

Leg section	2.1 L
Middle section	2.1 L

*All measurements and sizes are approximate.

THE PRINCE 800

RADIATOR DIMENSIONS	
Leg section height:	798 mm
Middle section height:	736 mm
Section length	79 mm
Radiator depth:	188 mm
INLET & EXIT	
Bottom inlet to floor:	110 mm
Top inlet to floor:	750 mm
Pipe centres to skirting board:	94 mm

HEAT OUTPUT PER SECTION	
Delta ∆T 50°C	177 Watts / 399 BTUs
Delta ∆T 60°C:	224 Watts / 504 BTUs

RADIATOR WEIGHT	
Empty weight per leg section:	12.6 KG
Empty weight per middle section:	11.3 KG
Filled weight per leg section:	15.5 KG
Filled weight per middle section:	14.2 KG

Leg section	2.9 L
Middle section	2.9 L
*All measurements and sizes are approximate.	




RL-450 THE PEERLESS 450 **RL-600** THE PEERLESS 600 **RL-795** THE PEERLESS 795

The simplistic design of the Peerless cast iron radiator makes it a perfect addition to a variety of homes. Keep it simple by finishing it in a neutral colour or create a statement with a vibrant colour , the options are endless.

The Peerless perfectly complements the Prince, Princess and Duchess with their simple but eye-catching design.







THE PEERLESS 450

RADIATOR DIMENSIONS	
Leg section height:	450 mm
Middle section height:	395 mm
Section length	78 mm
Radiator depth:	127 mm
INLET & EXIT	
Bottom inlet to floor:	115 mm
Top inlet to floor:	405 mm
Pipe centres to skirting board:	63.5 mm

HEAT OUTPUT PER SECTIO	N
Delta ∆T 50°C	50 Watts / 171 BTUs
Delta ∆T 60°C:	63 Watts / 216 BTUs
RADIATOR WEIGHT	

Empty weight per leg section:5.0 KGEmpty weight per middle section:4.5 KG	
Empty weight per middle section: 4 5 KG	
Empty weight per midule section. 4.3 KG	
Filled weight per leg section: 6.0 KG	
Filled weight per middle section: 5.5 KG	

INTERNAL VOLUME

Leg section	1.0 L
Middle section	1.0 L
*All measurements and sizes are approximate.	

78mm → 555mm 555mm ↓ 127mm


THE PEERLESS 600

RADIATOR DIMENSIONS	
Leg section height:	600 mm
Middle section height:	545 mm
Section length	78 mm
Radiator depth:	127 mm
INLET & EXIT	
Bottom inlet to floor:	115 mm
Top inlet to floor:	555 mm
Pipe centres to skirting board:	63.5 mm
HEAT OUTPUT PER SECTION	
Delta ∆T 50°C	68 Watts / 232 BTUs
Delta ∆T 60°C:	85 Watts / 293 BTUs
RADIATOR WEIGHT	
Empty weight per leg section:	6.6 KG

Empty weight per leg section:	6.6 KG
Empty weight per middle section:	6.2 KG
Filled weight per leg section:	8.0 KG
Filled weight per middle section:	7.6 KG

INTERNAL VOLUME

Leg section	1.4 L
Middle section	1.4 L
*All measurements and sizes are approximate	



THE PEERLESS 795

RADIATOR DIMENSIONS	
Leg section height:	795 mm
Middle section height:	740 mm
Section length	78 mm
Radiator depth:	127 mm
INLET & EXIT	
Bottom inlet to floor:	115 mm
Top inlet to floor:	745 mm
Pipe centres to skirting board:	63.5 mm
HEAT OUTPUT PER SECTION	
Dalta AT 50°C	87 Watts / 297 BTUs

HEAT OUTFOIL FER SECTION	
Delta ∆T 50°C	87 Watts / 297 BTUs
Delta ∆T 60°C:	109 Watts / 375 BTUs

RADIATOR WEIGHT

Empty weight per leg section:	8.7 KG
Empty weight per middle section:	8.4 KG
Filled weight per leg section:	10.4 KG
Filled weight per middle section:	10.1 KG

INTERNAL VOLUME

Leg section	1.7 L
Middle section	1.7 L

 $^{\ast}\mbox{All}$ measurements and sizes are approximate.




PRF-560 THE ROCOCO 1 COLUMN 560 PRF-660 THE ROCOCO 1 COLUMN 660 PRF-950 THE ROCOCO 1 COLUMN 950

The Rococo 1 Column is available in 3 different heights and is designed for narrow areas such as hallways and landings. With the beautiful embossed scrolling, this elegant model is an excellent statement piece.

The Rococo 1 Column complements its sister model the Rococo 3 Column, the Parisian 2 Column and the Montmartre cast iron radiators.







THE ROCOCO 1 COLUMN 560

RADIATOR DIMENSIONS	
Leg section height:	562 mm
Middle section height:	504 mm
Section length	74 mm
Radiator depth:	140 mm
INLET & EXIT	
Bottom inlet to floor:	114 mm
Top inlet to floor:	514 mm
Pipe centres to skirting board	l: 70 mm
HEAT OUTPUT PER SECTION	N
Delta ∆T 50°C	60 Watts / 205 BTUs


Delta Al 50 C	60 Watts / 205 BTUs
Delta ∆T 60°C:	75 Watts / 259 BTUs

RADIATOR WEIGHT	
Empty weight per leg section:	7.3 KG
Empty weight per middle section:	6.0 KG
Filled weight per leg section:	8.3 KG
Filled weight per middle section:	7.0 KG

INTERNAL VOLUME

Leg section	1.0 L
Middle section	1.0 L

*All measurements and sizes are approximate.



THE ROCOCO 1 COLUMN 660


RADIATOR DIMENSIONS	
Leg section height:	660 mm
Middle section height:	595 mm
Section length	74 mm
Radiator depth:	140 mm
INLET & EXIT	
Bottom inlet to floor:	114 mm
Top inlet to floor:	614 mm
Pipe centres to skirting board:	: 70 mm
HEAT OUTPUT PER SECTION	
Delta ∆T 50°C	69 Watts / 237 BTUs
Delta ∆T 60°C:	87 Watts / 299 BTUs

RADIATOR WEIGHT	

Empty weight per leg section:	6.8 KG
Empty weight per middle section:	6.1 KG
Filled weight per leg section:	8.0 KG
Filled weight per middle section:	7.3 KG

INTERNAL VOLUME

Leg section	1.2 L
Middle section	1.2 L
*All measurements and sizes are approximate	



THE ROCOCO 1 COLUMN 950

RADIATOR DIMENSIONS			
Leg section height:	950 mm		
Middle section height:	890 mm		
Section length	74 mm		
Radiator depth:	135 mm		
INLET & EXIT			
Bottom inlet to floor:	114 mm		
Top inlet to floor:	904 mm		
Pipe centres to skirting board	: 67.5 mm		
HEAT OUTPUT PER SECTION			
Delta ∆T 50°C	96 Watts / 329 BTUs		

HEAT OUTFOIL FER SECTION	•
Delta ∆T 50°C	96 Watts / 329 BTUs
Delta ∆T 60°C:	121 Watts / 415 BTUs

RADIATOR WEIGHT

Empty weight per leg section:	10.4 KG
Empty weight per middle section:	9.8 KG
Filled weight per leg section:	12.1 KG
Filled weight per middle section:	11.5 KG

INTERNAL VOLUME

Leg section	1.7 L
Middle section	1.7 L



PRB-470 THE ROCOCO 3 COLUMN 470 PRB-765 THE ROCOCO 3 COLUMN 765 PRB-960 THE ROCOCO 3 COLUMN 960


The Rococo 3 Column available in 3 different heights but with a greater depth than its sister model. The Rococo 3 Column provides great heat output, alongside its beautiful scroll detail provides an excellent addition to your home.

The Rococo 3 Column complements the Rococo 1 Column, the Parisian 2 Column and the Montmartre cast iron radiators.



78mm





THE ROCOCO 3 COLUMN 470

RADIATOR DIMENSIONS	
Leg section height:	470 mm
Middle section height:	412 mm
Section length	78 mm
Radiator depth:	250 mm
INLET & EXIT	
Bottom inlet to floor:	105 mm
Top inlet to floor:	410 mm
Pipe centres to skirting board	: 125 mm
HEAT OUTPUT PER SECTION	I
	05.14/11 / 70.4 DTU


Delta ∆T 50°C	95 Watts / 324 BTUs
Delta ∆T 60°C:	119 Watts / 409 BTUs

RADIATOR WEIGHT	
Empty weight per leg section:	8.1 KG
Empty weight per middle section:	6.6 KG
Filled weight per leg section:	9.9 KG
Filled weight per middle section:	8.4 KG

INTERNAL VOLUME

Leg section	1.8 L
Middle section	1.8 L

*All measurements and sizes are approximate.



THE ROCOCO 3 COLUMN 765

RADIATOR DIMENSIONS	
Leg section height:	765 mm
Middle section height:	707 mm
Section length	78 mm
Radiator depth:	250 mm
INLET & EXIT	
Bottom inlet to floor:	105 mm
Top inlet to floor:	705 mm
Pipe centres to skirting boar	d: 125 mm
HEAT OUTPUT PER SECTION	
Delta ∆T 50°C	187 Watts / 638 BTUs
Delta ∆T 60°C:	236 Watts / 806 BTUs

RADIATOR WEIGHT

Empty weight per leg section:	13.0 KG
Empty weight per middle section:	11.7 KG
Filled weight per leg section:	16.0 KG
Filled weight per middle section:	14.7 KG

INTERNAL VOLUME

Leg section	3.0 L
Middle section	3.0 L
*All measurements and sizes are approximate.	

THE ROCOCO 3 COLUMN 960

RADIATOR DIMENSIONS	
Leg section height:	960 mm
Middle section height:	902 mm
Section length	78 mm
Radiator depth:	250 mm
INLET & EXIT	
Bottom inlet to floor:	110 mm
Top inlet to floor:	905 mm
Pipe centres to skirting board:	125 mm

HEAT OUTPUT PER SECTION		
Delta ∆T 50°C	219 Watts / 747 BTUs	
Delta ∆T 60°C:	276 Watts / 944 BTUs	

RADIATOR WEIGHT

Empty weight per leg section:	16.5 KG
Empty weight per middle section:	15.2 KG
Filled weight per leg section:	20.2 KG
Filled weight per middle section:	18.9 KG

INTERNAL VOLUME

Leg section	3.7 L
Middle section	3.7 L

 $^{\ast}\mbox{All}$ measurements and sizes are approximate.




RM-590 THE DUCHESS 590 RM-790 THE DUCHESS 790

Taken from the American Standard design and available in two sizes the Duchess is similar to the princess cast iron radiator within our range but with a shallower curve to the top and a more detailed scrolled leg. A classical radiator that using our expert finishing services can suite a traditional or more contemporary home.

The Duchess perfectly complements the Prince, Princess and Peerless with their simple but eye-catching design.







THE DUCHESS 590

RADIATOR DIMENSIONS	
Leg section height:	592 mm
Middle section height:	537 mm
Section length	70 mm
Radiator depth:	173 mm
INLET & EXIT	
Bottom inlet to floor:	100 mm
Top inlet to floor:	550 mm
Pipe centres to skirting board:	86.5 mm

HEAT OUTPUT PER SECTION	
Delta ∆T 50°C	87 Watts / 298 BTUs

	110 M
Delta ∆T 60°C:	110 Watts / 376 BTUs


RADIATOR WEIGHT

8.4 KG
7.1 KG
10.3 KG
9.0 KG

INTERNAL VOLUME

Leg section	1.9 L
Middle section	1.9 L

*All measurements and sizes are approximate.



THE DUCHESS 790

RADIATOR DIMENSIONS	
Leg section height:	792 mm
Middle section height:	736 mm
Section length	70 mm
Radiator depth:	173 mm
INLET & EXIT	
Bottom inlet to floor:	100 mm
Top inlet to floor:	750 mm
Pipe centres to skirting board:	86.5 mm

HEAT OUTPUT PER SECTION		
Delta ∆T 50°C	112 Watts / 382 BTUs	
Delta ∆T 60°C:	141 Watts / 482 BTUs	

RADIATOR WEIGHT	
Empty weight per leg section:	9.9 KG
Empty weight per middle section:	9.0 KG
Filled weight per leg section:	12.3 KG
Filled weight per middle section:	11.4 KG

INTERNAL VOLUME

Leg section	2.4 L
Middle section	2.4 L
*All measurements and sizes are approximate	

70mm




RE-360/4 THE EDWARDIAN 4 COLUMN 360 **RE-480/4** THE EDWARDIAN 4 COLUMN 480 **RE-660/4** THE EDWARDIAN 4 COLUMN 660 **RE-760/4** THE EDWARDIAN 4 COLUMN 760 **RE-960/4** THE EDWARDIAN 4 COLUMN 960


The Edwardian 4 Column is influenced by the Edwardian Era with a curved top and clean, crisp casting lines suited to both modern and traditional homes.

The Edwardian 4 Column cast iron radiator comes in 4 different heights and is complementary to the Edwardian 2 Column and the 6 Column , providing flexibility of placement.









THE EDWARDIAN 4 COLUMN 360

RADIATOR DIMENSIONS	
Leg section height:	360 mm
Middle section height:	300 mm
Section length	60 mm
Radiator depth:	175 mm
INLET & EXIT	
Bottom inlet to floor:	110 mm
Top inlet to floor:	310 mm
Pipe centres to skirting board:	87.5 mm
HEAT OUTPUT PER SECTION	

Delta ∆T 50°C	43 Watts / 147 BTUs
Delta ∆T 60°C:	51 Watts / 185 BTUs

3.7 KG

3.3 KG

4.2 KG

3.8 KG

RADIATOR WEIGHT
Empty weight per leg section:
Empty weight per middle section:
Filled weight per leg section:

INTERNAL VOLUME Leg section

Filled weight per middle section:

Leg section	0.5 L
Middle section	0.5 L
All measurements and sizes are approximate.	

THE EDWARDIAN 4 COLUMN 480


RADIATOR DIMENSIONS	
Leg section height:	475 mm
Middle section height:	412 mm
Section length	60 mm
Radiator depth:	175 mm
INLET & EXIT	
Bottom inlet to floor:	110 mm
Top inlet to floor:	425 mm
Pipe centres to skirting board	87.5 mm
HEAT OUTPUT PER SECTION	I
Delta ∆T 50°C	64 Watts / 218 BTUs
Delta ∆T 60°C:	80 Watts / 275 BTUs

RADIATOR WEIGHT

Empty weight per leg section:	4.6 KG
Empty weight per middle section:	4.2 KG
Filled weight per leg section:	5.6 KG
Filled weight per middle section:	5.2 KG

INTERNAL VOLUME

Leg section	1.0 L
Middle section	1.0 L
*All measurements and sizes are approximate.	



THE EDWARDIAN 4 COLUMN 660

RADIATOR DIMENSIONS	
Leg section height:	660 mm
Middle section height:	596 mm
Section length	60 mm
Radiator depth:	175 mm
INLET & EXIT	
Bottom inlet to floor:	110 mm
Top inlet to floor:	610 mm
Pipe centres to skirting board:	87.5 mm
HEAT OUTPUT PER SECTION	


HEAT OUTPUT PER SECTION		
Delta ∆T 50°C	92 Watts / 314 BTUs	
Delta ∆T 60°C:	116 Watts / 396 BTUs	

RADIATOR WEIGHT

Empty weight per leg section:	5.8 KG
Empty weight per middle section:	5.1 KG
Filled weight per leg section:	6.9 KG
Filled weight per middle section:	6.2 KG

INTERNAL VOLUME

Leg section	1.1 L
Middle section	1.1 L
*All measurements and sizes are approximate.	




THE EDWARDIAN 4 COLUMN 760

RADIATOR DIMENSIONS			
Leg section height:	760 mm		
Middle section height:	700 mm		
Section length	60 mm		
Radiator depth:	175 mm		
INLET & EXIT			
Bottom inlet to floor:	110 mm		
Top inlet to floor:	712 mm		
Pipe centres to skirting board	d: 87.5 mm		
HEAT OUTPUT PER SECTION			
Delta ∆T 50°C	107 Watts / 365 BTUs		
Delta ∆T 60°C:	135 Watts / 461 BTUs		
RADIATOR WEIGHT			
Empty weight per leg section	n: 6.7 KG		
Empty weight per middle see	ction: 6.3 KG		
Filled weight per leg section:	7.9 KG		
Filled weight per middle sect	ion: 7.5 KG		
INTERNAL VOLUME			
Leg section	1.2 L		

1.2 L

*All measurements and sizes are approximate.

Middle section



THE EDWARDIAN 4 COLUMN 960


RADI	ATOR	NSIONS

Leg section height:	960 mm
Middle section height:	898 mm
Section length	60 mm
Radiator depth:	175 mm
INLET & EXIT	
Bottom inlet to floor:	110 mm
Top inlet to floor:	912 mm
Pipe centres to skirting boar	rd: 87.5 mm
HEAT OUTPUT PER SECTIO	N
Delta ∆T 50°C	137 Watts / 467 BTUs

Delta ∆T 60°C:	172 Watts / 590
RADIATOR WEIGHT	

Empty weight per leg section:	8.4 K
Empty weight per middle section:	7.4 K
Filled weight per leg section:	9.9 K
Filled weight per middle section:	8.9 K

Leg section	1
Middle section	1
*All measurements and sizes are approximate.	




RE-485/6 THE EDWARDIAN 6 COLUMN 485 RE-660/6 THE EDWARDIAN 6 COLUMN 660 RE-760/6 THE EDWARDIAN 6 COLUMN 760 RE-960/6 THE EDWARDIAN 6 COLUMN 960

The Edwardian 6 Column Cast Iron Radiator influenced by the Edwardian era, provides high heat outputs in large areas.

Complementary to the 2 Column and 4 Column, the Edwardian range provides great flexibility when it comes to choosing the correct radiators for your project.







60mm 615m 252mm

660mm

THE EDWARDIAN 6 COLUMN 485

RADIATOR DIMENSIONS		
Leg section height:	485 mm	
Middle section height:	423 mm	
Section length	60 mm	
Radiator depth:	254 mm	
INLET & EXIT		
Bottom inlet to floor:	105 mm	
Top inlet to floor:	455 mm	
Pipe centres to skirting board	d: 127 mm	
HEAT OUTPUT PER SECTION		
Delta ∆T 50°C	95 Watts / 324 BTUs	
Delta ∆T 60°C:	119 Watts / 409 BTUs	

RADIATOR WEIGHT

Empty weight per leg section:	6.9 KG
Empty weight per middle section:	6.1 KG
Filled weight per leg section:	7.7 KG
Filled weight per middle section:	6.9 KG

INTERNAL VOLUME

Leg section	0.8 L
Middle section	0.8 L


*All measurements and sizes are approximate



RADIATOR DIMENSIONS	
Leg section height:	660 mm
Middle section height:	600 mm
Section length	60 mm
Radiator depth:	252 mm
INLET & EXIT	
Bottom inlet to floor:	115 mm
Top inlet to floor:	615 mm
Pipe centres to skirting board	l: 126 mm
HEAT OUTPUT PER SECTION	N
Delta ∆T 50°C	127 Watts / 433 BTUs
Delta ∆T 60°C:	160 Watts / 547 BTUs

RADIATOR WEIGHT	
Empty weight per leg section:	9.3 KG
Empty weight per middle section:	8.1 KG
Filled weight per leg section:	10.4 KG
Filled weight per middle section:	9.2 KG

INTERNAL VOLUME	
Leg section	1.1 L
Middle section	1.1 L
*All measurements and sizes are approximate.	



THE EDWARDIAN 6 COLUMN 760

RADIATOR DIMENSIONS	
Leg section height:	760 mm
Middle section height:	700 mm
Section length	60 mm
Radiator depth:	254 mm
INLET & EXIT	
Bottom inlet to floor:	115 mm
Top inlet to floor:	715 mm
Pipe centres to skirting board:	127 mm
HEAT OUTPUT PER SECTION	


HEAT OUTPUT PER SECTIO	//N
Delta ∆T 50°C	147 Watts / 502 BTUs
Delta ∆T 60°C:	185 Watts / 634 BTUs

RADIATOR WEIGHT

Empty weight per leg section:	9.9 KG
Empty weight per middle section:	8.7 KG
Filled weight per leg section:	11.2 KG
Filled weight per middle section:	10.0 KG

INTERNAL VOLUME

INTERNAL VOLOME	
Leg section	1.3 L
Middle section	1.3 L
*All measurements and sizes are approximate.	



THE EDWARDIAN 6 COLUMN 960

RADIATOR DIMENSIONS			
Leg section height:	960 mm		
Middle section height:	900 mm		
Section length	60 mm		
Radiator depth:	250 mm		
INLET & EXIT			
Bottom inlet to floor:	115 mm		
Top inlet to floor:	915 mm		
Pipe centres to skirting boar	rd: 125 mm		
HEAT OUTPUT PER SECTION			
Delta ∆T 50°C	184 Watts / 662 BTUs		
Delta ∆T 60°C: 245 Watts / 836 BTUs			
RADIATOR WEIGHT			
Empty weight per leg section	on: 12.3 KG		
Empty weight per middle se	ection: 11.5 KG		
Filled weight per leg sectior	n: 13.8 KG		
Filled weight per middle sec	tion: 13.0 KG		
INTERNAL VOLUME			
Leg section	1.5 L		

Empty weight per leg section:	12.3 KG
Empty weight per middle section:	11.5 KG
Filled weight per leg section:	13.8 KG
Filled weight per middle section:	13.0 KG

IN

Leg section	1.5 L
Middle section	1.5 L




RE-480/2 THE EDWARDIAN 2 COLUMN 480 RE-640/2 THE EDWARDIAN 2 COLUMN 640 RE-740/2 THE EDWARDIAN 2 COLUMN 740 RE-1040/2 THE EDWARDIAN 2 COLUMN 1040

The Edwardian 2 Column Cast Iron Radiator is slimline in design, making it perfect for hallways and small spaces where space is of a premium.

The Edwardian 2 Column has 3 different heights and is complementary to the 4 Column and 6 Column.







THE EDWARDIAN 2 COLUMN 480

RADIATOR DIMENSIONS		
Leg section height:	484 mm	
Middle section height:	430 mm	
Section length	60 mm	
Radiator depth:	89 mm	
INLET & EXIT		
Bottom inlet to floor:	94 mm	
Top inlet to floor:	444 mm	
Pipe centres to skirting board:	44.5 mm	
HEAT OUTPUT PER SECTION		


Delta ∆T 50°C	39 Watts / 134 BTUs
Delta ∆T 60°C:	49 Watts / 169 BTUs

RADIATOR WEIGHT	
Empty weight per leg section:	3.0 KG
Empty weight per middle section:	2.5 KG
Filled weight per leg section:	3.4 KG
Filled weight per middle section:	2.9 KG

INTERNAL VOLUME

Leg section	0.4 L
Middle section	0.4 L

*All measurements and sizes are approximate.



THE EDWARDIAN 2 COLUMN 640

RADIATOR DIMENSIONS	
Leg section height:	636 mm
Middle section height:	580 mm
Section length	60 mm
Radiator depth:	89 mm
INLET & EXIT	
Bottom inlet to floor:	94 mm
Top inlet to floor:	594 mm
Pipe centres to skirting board:	44.5 mm
HEAT OUTPUT PER SECTION	
Delta ∆T 50°C	62 Watts / 212 BTUs
Delta ∆T 60°C:	78 Watts / 267 BTUs

RADIATOR WEIGHT

Empty weight per leg section:	3.5 KG
Empty weight per middle section:	3.0 KG
Filled weight per leg section:	4.3 KG
Filled weight per middle section:	3.8 KG

INTERNAL VOLUME

Leg section	0.8 L
Middle section	0.8 L
*All measurements and sizes are approximate.	

60mn 735mm 89m

THE EDWARDIAN 2 COLUMN 740

RADIATOR DIMENSIONS	
Leg section height:	735 mm
Middle section height:	684 mm
Section length	60 mm
Radiator depth:	89 mm
INLET & EXIT	
Bottom inlet to floor:	94 mm
Top inlet to floor:	694 mm
Pipe centres to skirting board:	44.5 mm
HEAT OUTPUT PER SECTION	

HEAT OUTPUT PER SECTIO	N
Delta ∆T 50°C	70 Watts / 239 BTUs
Delta ∆T 60°C:	88 Watts / 302 BTUs

RADIATOR WEIGHT

Empty weight per leg section:	4.2 KG
Empty weight per middle section:	4.0 KG
Filled weight per leg section:	5.2 KG
Filled weight per middle section:	5.0 KG

INTERNAL VOLUME

Leg section	1.0 L
Middle section	1.0 L
*All measurements and sizes are approximate.	

1037n 89mm


THE EDWARDIAN 2 COLUMN 1040

RADIATOR DIMENSIONS	
Leg section height:	1037 mm
Middle section height:	981 mm
Section length	60 mm
Radiator depth:	89 mm
INLET & EXIT	
Bottom inlet to floor:	94 mm
Top inlet to floor:	994 mm
Pipe centres to skirting boar	d: 44.5 mm
HEAT OUTPUT PER SECTIO	N
Delta ∆T 50°C	99 Watts / 338 BTUs
Delta ∆T 60°C:	125 Watts / 427 BTUs
RADIATOR WEIGHT	
Empty weight per leg section	n: 5.7 KG

Er Empty weight per middle section: 5.2 KG Filled weight per leg section: 6.9 KG Filled weight per middle section: 6.4 KG

INTERNAL VOLUME

Leg section	1.2 L
Middle section	1.2 L








RV-330/9 THE VICTORIAN 9 COLUMN

Instantly recognisable, we've created the Victorian 9 column radiator by taking a mould of an original Ideal Standard Radiator from the National Radiator Company.

Unlike the Neo-Classic style, the Victorian has a flat foot on each leg section that helps to prevent damage to floor coverings in the home by spreading its weight more evenly.





THE VICTORIAN 9 COLUMN

RADIATOR DIMENSIONS			
Leg section height:	330 mm		
Middle section height:	292 mm		
Section length	56 mm		
Radiator depth:	335 mm		
INLET & EXIT			
Bottom inlet to floor:	75 mm		
Top inlet to floor:	295 mm		
Pipe centres to skirting boa	rd: 167.5 mm		
HEAT OUTPUT PER SECTION			
Delta ∆T 50°C	102 Watts / 348 BTUs		
Delta ∆T 60°C:	128 Watts / 439 BTUs		
RADIATOR WEIGHT			
Empty weight per leg section	on: 7.8 KG		
Empty weight per middle se	ection: 7.4 KG		
Filled weight per leg section	n: 8.6 KG		
Filled weight per middle see	ction: 8.2 KG		
INTERNAL VOLUME			
INTERNAL VOLUME Leg section	0.8 L		

*All measurements and sizes are approximate.




RV-460/4 THE VICTORIAN 4 COLUMN 460 RV-760/4 THE VICTORIAN 4 COLUMN 760

Instantly recognisable, we've created the Victorian 4 column radiator by taking a mould of an original Ideal Standard Radiator from the National Radiator Company.

Unlike the Neo-Classic style, the Victorian has a flat foot on each leg section that helps to prevent damage to floor coverings in the home by spreading its weight more evenly.








THE VICTORIAN 4 COLUMN 460

RADIATOR DIMENSIONS			
Leg section height:	460 mm		
Middle section height:	385 mm		
Section length	60 mm		
Radiator depth:	145 mm		
INLET & EXIT			
Bottom inlet to floor:	120 mm		
Top inlet to floor:	420 mm		
Pipe centres to skirting board:	72.5 mm		
HEAT OUTPUT PER SECTION			
Delta ∆T 50°C	57 Watts / 196 BTUs		

Delta ∆T 60°C:	73 Watts / 247 BTUs
RADIATOR WEIGHT	
Empty weight per leg section	: 3.8 KG
Empty weight per middle sec	tion: 3.3 KG

INTERNAL VOLUME	
Filled weight per middle section:	4.0 KG
Filled weight per leg section:	4.5 KG
Empty weight per middle section:	3.3 KG

Leg section	0.7 L	
Middle section	0.7 L	
*All measurements and sizes are approximate		



THE VICTORIAN 4 COLUMN 760

RADIATOR DIMENSIONS	
Leg section height:	760 mm
Middle section height:	685 mm
Section length	60 mm
Radiator depth:	145 mm
INLET & EXIT	
Bottom inlet to floor:	120 mm
Top inlet to floor:	720 mm
Pipe centres to skirting board:	72.5 mm
HEAT OUTPUT PER SECTION	

HEAT OUTPUT PER SECTIO	N
Delta ∆T 50°C	92 Watts / 313 BTUs
Delta ∆T 60°C:	115 Watts / 395 BTUs

RADIATOR WEIGHT	
Empty weight per leg section:	6.1 KG
Empty weight per middle section:	6.0 KG
Filled weight per leg section:	7.2 KG
Filled weight per middle section:	7.1 KG

INTERNAL VOLUME

Leg section	1.1 L
Middle section	1.1 L
*All measurements and sizes are approximate.	




RN-650 THE ART DECO 650

Available in two heights the Art Deco cast iron radiator boasts exuberant detail of the roaring 1920s. A decade of indulgence in the new style of Jazz, dance, and popular fashion.

The Art Deco is sure to add a touch of 20s glamour in any space







THE ART DECO 650

RADIATOR DIMENSIONS	
Leg section height:	649 mm
Middle section height:	602 mm
Section length	60 mm
Radiator depth:	145 mm
INLET & EXIT	
Bottom inlet to floor:	100 mm
Top inlet to floor:	600 mm
Pipe centres to skirting board	: 72.5 mm
HEAT OUTPUT PER SECTION	1
Delta ∆T 50°C	88 Watts / 300 BTUs
Delta ∆T 60°C:	111 Watts / 379 BTUs
RADIATOR WEIGHT	
Empty weight per leg section	: 7.5 KG
Empty weight per middle sec	tion: 6.9 KG
Filled weight per leg section:	9.6 KG
Filled weight per middle secti	on: 9.0 KG
INTERNAL VOLUME	
Leg section	2.1 L

*All measurements and sizes are approximate.




RN-870 THE ART DECO 870

Available in two heights the Art Deco cast iron radiator boasts exuberant detail of the roaring 1920s. A decade of indulgence in the new style of Jazz, dance, and popular fashion.

The Art Deco is sure to add a touch of 20s glamour in any space





THE ART DECO 870

RADIATOR DIMENSIONS		
Leg section height:	869 mm	
Middle section height:	792 mm	
Section length	85 mm	
Radiator depth:	220 mm	
INLET & EXIT		
Bottom inlet to floor:	120 mm	
Top inlet to floor:	820 mm	
Pipe centres to skirting board	d: 110 mm	
HEAT OUTPUT PER SECTION	N	
Delta ∆T 50°C	157 Watts / 537 BTUs	
Delta ∆T 60°C:	198 Watts / 678 BTUs	
RADIATOR WEIGHT		
Empty weight per leg sectior	n: 14.8 KG	
Empty weight per middle sec	tion: 13.9 KG	
Filled weight per leg section:	18.4 KG	
Filled weight per middle sect	ion: 17.5 KG	
INTERNAL VOLUME		
Log section	361	


Leg section	3.6 L
Middle section	3.6 L
*All measurements and sizes are approximate	



PRQ-990 THE ALEXANDRA

The Alexandra captures the pure essence in French design. With its scrolling intricate design from top to bottom, allow the Alexandra to bring some of the periodic French elegance into the 21st century.






THE ALEXANDRA

Middle section

*All measurements and sizes are approximate.

RADIATOR DIMENSIONS	
Leg section height:	987 mm
Middle section height:	900 mm
Section length	70 mm
Radiator depth:	160 mm
INLET & EXIT	
Bottom inlet to floor:	130 mm
Top inlet to floor:	920 mm
Pipe centres to skirting boa	rd: 80 mm
HEAT OUTPUT PER SECTIO	ОN
Delta ∆T 50°C	125 Watts / 425 BTUs
Delta ∆T 60°C:	158 Watts / 538 BTUs
RADIATOR WEIGHT	
RADIATOR WEIGHT Empty weight per leg sectio	on: 13.9 KG
Empty weight per leg sectio	ection: 11.9 KG
Empty weight per leg section Empty weight per middle se	ection: 11.9 KG n: 16.9 KG
Empty weight per leg section Empty weight per middle se Filled weight per leg section	ection: 11.9 KG n: 16.9 KG

3.0 L




PRH-680 THE CHELSEA

The intensely decorative Chelsea cast iron radiator revives the 1900s.

With this intricate detailing this radiator will stand-out in light and dark colours with harmonizing contrast.







THE CHELSEA

RADIATOR DIMENSIONSLeg section height:678 mm		
Leg section height: 678 mr		
	n	
Middle section height: 615 mr	n	
Section length 65 mr	n	
Radiator depth: 218 mr	n	
INLET & EXIT		
Bottom inlet to floor: 130 mm	n	
Top inlet to floor: 630 mr	n	
Pipe centres to skirting board: 109 mr	n	
HEAT OUTPUT PER SECTION		
Delta ∆T 50°C 99 Watts / 338 BTU	99 Watts / 338 BTUs	
Delta ΔT 60°C: 125 Watts / 426 BTU	125 Watts / 426 BTUs	
RADIATOR WEIGHT		
Empty weight per leg section: 12.5 KG	G	
Empty weight per middle section: 10.8 KG	G	
	G	
Filled weight per leg section: 14.2 KG	~	
Filled weight per leg section:14.2 KGFilled weight per middle section:12.5 KG	J	
	5	
Filled weight per middle section: 12.5 K	-	

*All measurements and sizes are approximate.





Valves

UK-10 MRV





Black Nickel



Brushed Nickel

GAN



UK-11 TRV







UK-12 MRV



UK-14 MRV



Antique Copper

Brushed Nickel









Antique Copper

0 Antique Brass



6. 5.6 0 1-Brushed Nickel



1.0 Chrome Plated



Old English Brass









Chrome Plated

Black Nickel

Brushed Nickel

Old English Brass

















Valves

UK-18 TRV





Brushed Nickel





UK-20 MRV







Black Nickel



60





















Antique Copper

Brushed Nickel

Chrome Plated

Old English Brass

Pewter

T






Accessories

LUXURY WALL BRACKETS

Pipe Sleeves

AIRVENTS





Arroll

6 Longlands Avenue, Newtownabbey, Co.Antrim, BT36 7NE Northern Ireland

Tel: +44 (0) 28 9036 5725 sales@arroll.co.uk

www.arroll.co.uk

©Copyright 2020 All Rights Reserved

The contents of the publication including images are property of Arroll Limited.